

FACILITIES STANDARD

=
NAME : Toilet Accessories
NUMBER : 10800

ORIGINAL DATE : 03-01-94
REVISION DATE : 07-10-98

PURPOSE:

1. The general purpose of each Facilities Standard is to provide minimal criteria for construction materials at University facilities regarding code compliance, warranty, approved products, execution and uniformity.
2. To protect the health and safety of patients, visitors, students, faculty and staff, in addition to protecting non-project UAB property, all construction must be in accordance with: NFPA 241 safeguarding construction, alteration and demolition operations; Standard Building Code, Chapter 33, regarding site work, demolition and construction; NFPA 101 Life Safety Code.
3. Construction safety is the responsibility of the contractor in accordance with the regulations and codes of the agency having jurisdiction, and according to the guidelines adapted by OSHA.
4. The **Toilet Accessories Facilities Standard** establishes a series of guidelines for specifying this particular item on any construction project at the University. ***This Facilities Standard is not to be regarded as a specification.***

GENERAL:

1. Toilet Accessories shall be in compliance with the following:
 - A. American National Standard Institute (ANSI)
 - B. American Standard Association (ASA)
 - C. Americans with Disabilities Act (ADA)
 - D. Underwriters Laboratory Inc. (UL)
2. Warranty shall be one year from date of Substantial Completion.
3. Exceptions to product types will be considered on certain projects, as approved by the Facilities Division.

PRODUCTS:

1. Acceptable manufacturers are:
 - A. Bobrick
 - B. Bradley Corporation
 - C. McKinney Parker
 - D. Scott
2. Waste Receptacles: Surface mounted; 20 gallon type 304 stainless steel; utilizes removable and reusable heavy gauge vinyl liner; 23" H x 16 1/2" W x 12 1/2"D.
3. Paper Towel Dispenser: Designed for high traffic areas; holds two 800-foot rolls plus a 200 foot stub roll; 16" x 13" x 10 3/8".
4. Hand Dryer: Push button with automatic shut-off; vandal resistant timer control; cast iron cover with vitreous enamel finish; 2300W approx. 11-13" W x 10" H x 7" D.
5. Sanitary Napkin/Tampon Vendor: Recess mounted napkin/tampon vendor; dispenses 30 napkins 27 tampons; set at 25 cents; 26 3/8" H x 12 1/2" W x 6" D.
6. Sanitary Napkin Disposal Unit: Surface mounted; features push flap door and removable stainless steel receptacle; utilizes disposable wet strength paper liner; approx. 15" H x 11" W x 4" D.
7. Toilet Tissue Holder: Surface mounted; double-roll; vandal and theft-resistant locking mechanism; hinged arm for filling; tension spring to prevent free spinning of roll; holds two standard core 1500 sheet single ply or 500 sheet double ply rolls; approx. 2 3/4" H x 12 1/4" W x 5" D.

At heavily used public bathrooms a jumbo tissue dispenser which holds one tissue roll of up to approximately 4500 feet should be used.

8. Mirror: Channel framed; first quality 1/4" plate glass; electrocopper plated. Channel frame of stainless steel with bright annealed finish; corners mitered; wall hanger of 18 gauge steel; all welded construction; vandal and theft-resistant mounting; galvanized steel back plate with shock absorbing waterproof filler. Mirrored wall is also acceptable.

9. Grab Bars: Heavy duty type 304 stainless steel tubing; welded 11 gauge type 304 stainless steel mounting flanges; sanitary safety grip finish. Size to suit application; 1 1/4" - 1 1/2" D & 1 1/2" clear from wall.
10. Robe Hook: Surface mounted single robe hook; bright polished stainless steel; approx. 2" H x 2" W x 2" D.
11. Soap Dispenser: Holds two 500ml cartridges of soap; approx. 12 1/2" x 6 1/2" x 4".

EXECUTION:

1. Anchor plates and components shall be provided in accordance with manufacturer's instructions.
2. Toilet accessories shall be mounted in locations and at heights as set forth in the Uniform Federal Accessibility Standards. Exact locations and mounting heights of accessories shall be verified before installation.

END OF STANDARD

Prepared by: _____
Mark A. Goska

Revised by:

Reviewed and
Recommended by: _____
Mark A. Goska

Approved by:

Brooks H. Baker

NAME : Toilet Accessories
NUMBER : 10800

ORIGINAL DATE : 03-01-94
REVISION DATE : 07-10-98

Director, Architecture & Engineering

Associate Vice President - Facilities