

---

---

# FACILITIES STANDARD

---

---

=  
NAME : Upholstered Furniture  
NUMBER : 12302

ORIGINAL DATE :01-05-98  
REVISION DATE :

---

---

=

## PURPOSE:

1. The general purpose of each Facilities Standard is to provide minimal criteria for construction materials at University facilities regarding code compliance, warranty, approved products, execution and uniformity.
2. To protect the health and safety of patients, visitors, students, faculty and staff, in addition to protecting non-project UAB property, all construction must be in accordance with: NFPA 241 safeguarding construction, alteration and demolition operations; Standard Building Code, Chapter 33, regarding site work, demolition and construction; NFPA 101 Life Safety Code.
3. Construction safety is the responsibility of the contractor in accordance with the regulations and codes of the agency having jurisdiction, and according to the guidelines adapted by OSHA.
4. The **Upholstered Furniture Facilities Standard** establishes a series of guidelines for specifying this particular item on any construction project at the University. ***This Facilities Standard is not to be regarded as a specification.***

## GENERAL:

1. Upholstered Furniture shall be in compliance with the following:
    - A. Cushion core shall be flame resistant polyurethane foam and shall have passed the California 117 Fire Retardancy Test.
    - B. Fabric shall have passed the California 117 Fire Retardancy Test.
    - C. As proof of compliance, a Flame Retardant Certification Label shall be permanently affixed to the item by the manufacturer.
  2. Warranty: One (1) year from date of Substantial Completion.
- 
- 

=

PAGE NO. 12302.1

---

---

NAME : Upholstered Furniture  
NUMBER : 12302

ORIGINAL DATE :01-05-98  
REVISION DATE :

---

---

**PRODUCTS:**

1. Products shall be determined for specific projects.

**END OF STANDARD**

Prepared by: \_\_\_\_\_  
Evelyn Dauphin

Revised by:

Reviewed and

---

---

NAME : Wallcovering  
NUMBER : 09952

---

---

ORIGINAL DATE : 11-01-92  
REVISION DATE :

Recommended by: \_\_\_\_\_

Mark A. Goska  
Director, Architecture & Engineering

Approved :

Brooks H. Baker III  
Associate Vice President - Facilities

**END OF STANDARD**

E.Dauphin/MAG

Prepared by :

Reviewed and Recommended by :  
Approved by :

---

---

ATTACHMENT

PAGE.NO.09952.3