
FACILITIES STANDARD

=
NAME : Draperies
NUMBER : 12533

ORIGINAL DATE :01-05-98
REVISION DATE :

=
PURPOSE:

1. The general purpose of each Facilities Standard is to provide minimal criteria for construction materials at University facilities regarding code compliance, warranty, approved products, execution and uniformity.
2. To protect the health and safety of patients, visitors, students, faculty and staff, in addition to protecting non-project UAB property, all construction must be in accordance with: NFPA 241 safeguarding construction, alteration and demolition operations; Standard Building Code, Chapter 33, regarding site work, demolition and construction; NFPA 101 Life Safety Code.
3. Construction safety is the responsibility of the contractor in accordance with the regulations and codes of the agency having jurisdiction, and according to the guidelines adapted by OSHA.
4. The **Draperies Facilities Standard** establishes a series of guidelines for specifying this particular item on any construction project at the University. ***This Facilities Standard is not to be regarded as a specification.***

GENERAL:

1. Draperies shall be in compliance with the following:
 - A. Draperies shall be inherently flame resistant and shall have passed the small scale test of NFPA Standard 701.
 - B. A flame resistant certification Label shall be permanently affixed to each panel.
2. Warranty: One (1) year from date of Substantial Completion.

PRODUCTS:

1. Products shall be determined for specific projects.
-
-

=

PAGE NO. 12533.1

NAME : Draperies
NUMBER : 12533

ORIGINAL DATE :01-05-98
REVISION DATE :

END OF STANDARD

Prepared by: _____
_____ Evelyn Dauphin

Revised by:

Reviewed and

PAGE NO. 12533.2

DEVELOPED OR INTENDED FOR UAB
AND CANNOT BE COPIED BY ANYONE ELSE

NAME : Wallcovering
NUMBER : 09952

ORIGINAL DATE : 11-01-92
REVISION DATE :

Recommended by: _____

Mark A. Goska
Director, Architecture & Engineering

Approved :

Brooks H. Baker III
Interim Associate Vice President - Facilities

END OF STANDARD

E.Dauphin/MAG

Prepared by :

Reviewed and Recommended by :
Approved by :

ATTACHMENT

PAGE.NO.09952.3